

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	"20040134889"	US-PGPUB; USPAT	OR	OFF	2007/03/08 16:59
L3	1	L2 and (four with lever\$1)	US-PGPUB; USPAT	OR	OFF	2007/03/08 17:00
L4	1	L2 and (four with second with lever\$1)	US-PGPUB; USPAT	OR	OFF	2007/03/08 17:01
L5	1	L2 and (first with second with lever\$1)	US-PGPUB; USPAT	OR	OFF	2007/03/08 17:01
L6	1	L2 and (lever\$1)	US-PGPUB; USPAT	OR	OFF	2007/03/08 17:01
L7	1	("5400170").PN.	USPAT; USOCR	OR	OFF	2007/03/08 17:57
L8	0	L7 and (rhombic\$1 or square\$1)	USPAT	OR	OFF	2007/03/08 17:57
L9	0	L7 and (cut\$4)	USPAT	OR	OFF	2007/03/08 17:57
L10	3221	edge\$1 with grind\$3 with cut\$4	USPAT	OR	OFF	2007/03/08 17:57
L11	308	sharp with edge\$1 with grind\$3 with cut\$4	USPAT	OR	OFF	2007/03/08 17:57
L12	96	(sharp adj edge\$1) with grind\$3 with cut\$4	USPAT	OR	OFF	2007/03/08 17:57
L13	88	(sharp adj edge\$1) with grinding with cut\$4	USPAT	OR	OFF	2007/03/08 17:57
L14	0	(sharp adj edge\$1) with grinding with cutting with accuracy	USPAT	OR	OFF	2007/03/08 17:57
L15	1	"20040134889"	US-PGPUB; USPAT	OR	OFF	2007/03/08 17:57
L16	0	L7 and (motor\$1)	USPAT	OR	OFF	2007/03/08 17:57
L17	0	L7 and (detect\$4)	USPAT	OR	OFF	2007/03/08 17:57
L18	58006	adjustable with (aperture\$1 or hole\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/08 17:57
L19	2333	light with adjustable with (aperture\$1 or hole\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/08 17:57

## EAST Search History

L20	2034	light with adjustable with (aperture\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/08 17:57
L21	0	((method or process) with (manufactur\$3 or mak\$3) with (pinhole\$1 or aperture\$1) with adjustable).ti.	USPAT	OR	OFF	2007/03/08 17:57
L22	0	((method\$1 or process\$1) with (manufactur\$3 or mak\$3) with (pinhole\$1 or aperture\$1) with adjustable).ti.	USPAT	OR	OFF	2007/03/08 17:57
L23	0	((manufactur\$3 or mak\$3) with (pinhole\$1 or aperture\$1) with adjustable).ti.	USPAT	OR	OFF	2007/03/08 17:57
L24	0	((manufactur\$3 or mak\$3) with (pinhole\$1 or aperture\$1 or hole\$1) with adjustable).ti.	USPAT	OR	OFF	2007/03/08 17:57
L25	565	((manufactur\$3 or mak\$3) with (pinhole\$1 or aperture\$1 or hole\$1)).ti.	USPAT	OR	OFF	2007/03/08 17:57
L26	17	((method or process) with (manufactur\$3 or mak\$3) with (pinhole\$1 or aperture\$1 or diaphragm\$1) with adjustable)	USPAT	OR	OFF	2007/03/08 17:57
L27	387	(359/233).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/08 17:57
L28	1	("5400170").PN.	USPAT; USOCR	OR	OFF	2007/03/08 17:57
L29	1	L7 and (process\$2 or method\$1)	USPAT	OR	OFF	2007/03/08 17:57
L30	1	L15 and (solid with state with joint\$1)	US-PGPUB; USPAT	OR	OFF	2007/03/08 17:57
L31	1	L7 and (control\$4)	USPAT	OR	OFF	2007/03/08 17:57
L32	1	L7 and (adjust\$4)	USPAT	OR	OFF	2007/03/08 17:57
L33	68	(sharp adj edge\$1) with grinding with cutting	USPAT	OR	OFF	2007/03/08 17:57
L34	2	(sharp adj edge\$1) with grinding with cutting with precis\$3	USPAT	OR	OFF	2007/03/08 17:57

## EAST Search History

L35	48	(light with adjustable with aperture\$1).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/08 17:57
L36	29	L18 and L27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/08 17:57
L37	12	((method or process) with (manufactur\$3 or mak\$3) with (pinhole\$1 or aperture\$1) with adjustable)	USPAT	OR	OFF	2007/03/08 17:57
L38	5	L26 not L37	USPAT	OR	OFF	2007/03/08 17:57
L39	247	(359/232).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/08 17:57
L40	387	(359/233).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/08 17:57
L41	616	L39 or L40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/08 17:57
L42	12	L41 and @pd>="20051201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/08 17:57